TRC Judging Guidelines V1.1 2023 Adapted from the SPARC Judging Guidelines v1.1 Copyright © 2017 SPARC

Texas Robot Combat Judging Guidelines

The Judges will be located close enough to the referee/arena marshal that communication will not be hindered by the noise levels typical to a robot combat event.

When a match does not end in the elimination of one of the Combatants as defined by the Match Rules the winner shall be determined by a Judges' Decision. In a Judges' Decision the points awarded to the Combatants by the panel of judges are totaled and the robot with the majority of points is declared the winner.

Judge's decisions are final.

Judging Guidelines:

Two sets of judging criteria are provided to allow individual events to choose which format they would like to use based upon the desired complexity and emphasis of the scoring system.

Simplified Judging Criteria-

Three judges will vote for the winning bot based on equally considered categories of damage, control, and aggression. Judges will not discuss the fight prior to voting barring specific questions related to damage that occurred during the fight. These questions will be communicated to the referee should any functional demonstrations be required prior to the arena door opening. For this format, no scores will be given.

Scoring Aggression

Aggression scoring will be based on the relative amount of time each robot spends attacking the other. The primary means of scoring points in this category involves attempting to attack the opponent in a controlled manner, whether or not the attack is successful.

Scoring Control

Control scoring will be based on the relative amount of time each robot spends in control of the fight. The primary means of scoring points in this category involves using elements of the robot or arena against the opponent in a manner that doesn't directly involve the weapon system of the robot causing damage. This would include utilizing any arena hazards as an active or passive weapon system on an opponent that doesn't directly cause damage.

Scoring Damage

Copyright © 2017 SPARC

Damage scoring will be based on the relative amount of damage dealt by each robot. The primary means of scoring points in this category involves doing non-cosmetic damage to the opposing robot. The severity of the damage done by each robot will be considered by the judges and used to determine the score.

Standard Judging Criteria-

1.1. Point Scoring System

Points are awarded in 3 categories:

- Aggression 5 points
- Control 6 points
- Damage 6 points

All points must be awarded - each judge will determine how many points to award each Combatant in each category, according to the Judging Guidelines (see below). The maximum possible score a Combatant receives is 11 * (number of judges). Thus, a single judge will award a total of 11 points, and a 3 judge panel will award a total of 33 points.

1.2. Judging Guidelines

1.2.1. Scoring Aggression

Aggression scoring will be based on the relative amount of time each robot spends attacking the other.

Attacks do not have to cause damage to count for aggression points, but a distinction will be made between chasing a fleeing opponent and randomly crashing around the arena.

Points will not be awarded for aggression if a robot is completely uncontrollable or unable to do more than turn in place, even if it is trying to attack.

Sitting still and waiting for your opponent to drive into your weapon does not count for aggression points, even if it is an amazingly destructive weapon. Robots must show translational movement toward their opponent for it to be counted as aggression.

1.2.2. Awarding Aggression Points

- 5-0: Shall be awarded only when one of the robots never attempts to attack the other, and the other consistently attacks.
- 4-1: Shall be awarded in the case of significant dominance of attacks by one robot, with the other only attempting to attack a few times during the match.

Copyright © 2017 SPARC

- 3-2: Shall be awarded when
 - o Both robots consistently attack the other.
 - o Both robots only attack the other for part of the match.
 - o Both robots spend most of the match avoiding each other. In this case it will be up to the judge's discretion to decide which robot made more attempts to attack the other.
 - o A Combatant who attacks a full-body spinner (e.g. intentionally drives within the perimeter of the spinning weapon) is automatically considered the aggressor and awarded a 3-2 score in the case where either robots consistently attack, or both robots consistently avoid each other.
 - o There can be no ties in aggression. Judges must decide that one robot is more aggressive than the other.
- Note: a Combatant is considered a "full body spinner" if the robot cannot be attacked without moving within the perimeter of the spinning weapon.

1.2.3. Scoring Control

Control scoring will be based on the relative amount of time each robot spends in control of the fight.

The primary means of scoring points in this category involves using elements of the robot or arena against the opponent in a manner that doesn't directly involve the weapon system of the robot causing damage. This would include utilizing any arena hazards to cause damage to the opposing robot.

Examples of control include:

- A grabbing/lifting/wedge robot making guiding contact with the opposing robot and delivering them to an arena hazard or hitting them against the combat surface and/or arena walls.
- Flipping over the opposing robot.
- Immobilizing or otherwise stalling the opponent's weapon.
- A spinning robot being able to get its weapon to full speed.

1.2.4. Awarding Control Points

 6-0: Shall be awarded only when one robot completely controls the momentum of the match. Examples of this would include: A wedge or ramming robot preventing a spinning weapon from ever reaching full speed, A grabber or crusher consistently grabbing and manipulating its opponent with little to no offense from the opponent, a flipper reliably flipping its opponent without frequent missed flips, and a spinner being

Copyright © 2017 SPARC

able to consistently and repeatedly get its weapon back to speed after hitting the opponent.

- 5-1: Shall be awarded in the case of significant dominance by one competitor. The competitor receiving 5 points should frequently exhibit the relevant behaviors noted in the control example section with only short periods of the opposing robot gaining the upper hand.
- 4-2: Shall be awarded in the case of slight dominance by one competitor. The competitor receiving 4 points should exhibit the relevant behaviors noted in the control example section for a clear majority of the match.
- 3-3: Shall be awarded when both robots are either able to demonstrate control for a significant portion of the match or neither robot is able to reasonably demonstrate control during a match.

1.2.5. Scoring Damage

Judges should be knowledgeable about how different materials are damaged. Some materials such as Titanium will send off bright sparks when hit but are still very strong and may be largely undamaged. Other materials such as Aluminum will not send off bright sparks when hit. Judges should not be influenced by things like sparks, but rather how deep or incapacitating a "wound" is.

Judges should be knowledgeable about the different materials used in Bot construction and how damage to these materials can reduce a Bot's functionality. Judges should not be unduly influenced by highly visual damage that doesn't affect a Combatant's functionality effectiveness or defensibility. For example, a gash in a Combatant's armor may be very visible but only minimally reduce the armor's functionality.

Judges should look for damage that may not be visually striking but affects the functionality of a Combatant. For example:

- A small bend in a lifting arm or spinner weapon may dramatically affect its functionality by preventing it from having its full range of motion
- Bent armor or skirts can prevent the Combatant from resting squarely on the floor, reducing the effectiveness of the drivetrain.
- A wobbly wheel indicates that it is bent and will not get as much traction.
- Cuts or holes through armor may mean there is more damage inside.

Trivial:

Flip over (or being propelled onto bumper, ramp, or other obstacle)
causing no loss of mobility or loss of weapon functionality, except where
flipping causes full loss of mobility and the robot is unable to show
translational movement.

Copyright © 2017 SPARC

- Direct impacts which do not leave a visible dent or scratch.
- Sparks resulting from a strike to the opponent's weapon.
- Being lifted in the air with no damage and no lasting loss of traction.

Cosmetic:

- Visible scratches to armor.
- Non-penetrating cut or dent or slight bending of armor or exposed frame.
- Removal of non-structural, non-functional cosmetic pieces (dolls, foliage, foam, or "ablative" armor).
- Damage to wheel, spinning blade, or other exposed moving part not resulting in loss of functionality or mobility.

Minor:

- Flip over (or being propelled onto a bumper or other obstacle) causing some loss of mobility or control or making it impossible to use a weapon.
- Intermittent smoke not associated with noticeable power drop.
- Penetrating dent or small hole.
- Removal of most or all of a wheel, or saw blade, spike, tooth, or other weapon component, which does not result in a loss of functionality or mobility.
- Slightly warped frame not resulting in loss of mobility or weapon function.

Significant:

- Continuous smoke, or smoke associated with partial loss of power of drive or weapons.
- Torn, ripped, or badly warped armor or large hole punched in armor.
- Damage or removal of wheels resulting in impaired mobility
- Damage to rotary weapon resulting in loss of weapon speed or severe vibration
- Damage to arm, hammer, or other moving part resulting in partial loss of weapon functionality.
- Visibly bent or warped frame/weapon that results in partial impairment to the function of the damaged system.

Major:

- Smoke and visible fire.
- Armor section completely removed exposing interior components.
- Removal of wheels, spinning blade, saw, hammer, or lifting arm, or other major component (including wedges/plows) resulting in total loss of weapon functionality or mobility.
- Frame warping that causes a partial loss of mobility or complete loss of functionality of a weapon system.

Copyright © 2017 SPARC

- Internal components (batteries, speed controller, radio, motor) broken free from mounts and resting or dragging on the arena floor.
- Significant leak of hydraulic fluid.
- Obvious leaks of pneumatic gasses.
- Apparent complete loss of weapon system function.

Massive:

- Armor shell completely torn off frame.
- Major subassemblies torn free from frame.
- Loss of structural integrity major frame or armor sections dragging or resting on floor.
- Total loss of power.

1.2.6. Awarding Damage Points

Scoring of damage points is based on relative grading of each robot's damage.

- 6-0: Shall be awarded when:
 - One robot suffers nothing more than trivial damage, and the other is at least significantly damaged
 - o One robot has suffered major or massive damage and the other is no more than cosmetically damaged.
- 5-1: Shall be awarded when:
 - o One robot suffers at least minor damage and the other suffers major or worse damage
 - o One robot has suffered cosmetic damage and the other has suffered at least significant damage.
- 4-2: Shall be awarded when:
 - o Both robots have suffered nearly the same level of damage but one is slightly more damaged than the other
 - o One robot has suffered trivial or cosmetic damage and the other has suffered minor damage
- 3-3: Shall be awarded when:
 - o Both robots have suffered the same level of damage, or
 - o Neither robot has even cosmetically damaged the other

Damage that is self-inflicted by a robot's own systems and not directly or indirectly caused by contact with the other robot or an active arena hazard will not be counted against that robot for scoring purposes.

1.2.7. Post-Match Inspection

Copyright © 2017 SPARC

Judges may request the combatant's to demonstrate operability of their robot's drive train and/or weapon following the end of the match, before the arena doors are opened.

Judges may inspect the Combatant's robot after a match to determine how best to award damage points. If a judge needs to examine one or both of the Combatants robot's before awarding damage points, he or she will notify the Stage Manager or other designated official immediately after the end of the match. The inspection will be conducted by the entire panel. The judges will not handle the Combatant's robot. The driver or a designated team member will handle the Combatant's robot. A member of the opponent's team will be present during any such inspection.